



WATER AND ENVIRONMENTAL MICROBIOLOGY

Proficiency Test List – GBP

Jan 2024 – Mar 2025



0009

The Fapas® programme covers all the common indicator organisms for drinking water and bottled water, as well as *Legionella* spp. in environmental (cooling) waters and common water parasites (*Cryptosporidium* and *Giardia*). The programme also includes swimming pool and spa waters and tests for outdoor bathing waters, whether they are swimming lakes or beach bathing.

10%

Prices do not include taxes, import duties, inspection fees or carriage charges which are extra. Items indicated with ❄ are sent in insulated packaging with ice packs and incur higher carriage charges.

Bathing Water

Item Code	Matrix	Analytes	Product Code	Approx. Size	✳	Start Date	Fee (GBP)
BW014m01	Bathing Water	<i>Escherichia coli</i> and Enterococci	FWM10-RWB1	lyophilised sample		08/05/2024	109
All the above analytes are enumeration tests.							

Bottled Water

Item Code	Matrix	Analytes	Product Code	Approx. Size	*	Start Date	Fee (GBP)
M295e29	Water (Bottled)	Total Coliforms, <i>Escherichia coli</i> , <i>Clostridium perfringens</i> , Enterococci, <i>Pseudomonas aeruginosa</i> , Colony Counts (22°C/3 days) and Colony Counts (37°C/2 day) (All Enumeration)	FMOE29-DRN41	3 x lyophilised sample	*	25/03/2024	155
M299e29	Water (Bottled)	Total Coliforms, <i>Escherichia coli</i> , <i>Clostridium perfringens</i> , Enterococci, <i>Pseudomonas aeruginosa</i> , Colony Counts (22°C/3 days) and Colony Counts (37°C/2 day) (All Enumeration)	FMOE29-DRN41	3 x lyophilised sample	*	29/07/2024	160

Drinking Water

Item Code	Matrix	Analytes	Product Code	Approx. Size	*	Start Date	Fee (GBP)
DWM0180	Drinking Water	Total coliforms and <i>Escherichia coli</i>	FWMO1-DRW1	lyophilised sample		14/02/2024	106
DWM0181	Drinking Water	Total coliforms and <i>Escherichia coli</i>	FWMO1-DRW1	lyophilised sample		13/03/2024	106
DWM0280	Drinking Water	Colony Counts (22°C/3 days) and Colony Counts (37°C/2 day)	FWMO2-DRW1	lyophilised sample		14/02/2024	106
DWM0281	Drinking Water	Colony Counts (22°C/3 days) and Colony Counts (37°C/2 day)	FWMO2-DRW1	lyophilised sample		13/03/2024	106
DWM0380	Drinking Water	Enterococci, <i>Pseudomonas aeruginosa</i> , <i>Clostridium perfringens</i>	FWM12-DRW1	lyophilised sample		14/02/2024	106
DWM0381	Drinking Water	Enterococci, <i>Pseudomonas aeruginosa</i> , <i>Clostridium perfringens</i> , <i>Clostridium</i> spp., Sulphite Reducing Clostridia	FWMO3-DRW1	lyophilised sample		13/03/2024	106
DW082m01	Drinking Water	Total coliforms and <i>Escherichia coli</i>	FWMO1-DRW1	lyophilised sample		03/04/2024	109
DW082m02	Drinking Water	Colony Counts (22°C/3 days) and Colony Counts (37°C/2 day)	FWMO2-DRW1	lyophilised sample		03/04/2024	109

All the above analytes are enumeration tests.

Item Code	Matrix	Analytes	Product Code	Approx. Size	*	Start Date	Fee (GBP)
DW082m03	Drinking Water	Enterococci, <i>Pseudomonas aeruginosa</i> , <i>Clostridium perfringens</i> , <i>Clostridium</i> spp., Sulphite Reducing Clostridia	FWMO3-DRW1	lyophilised sample		03/04/2024	109
DW083m01	Drinking Water	Total coliforms and <i>Escherichia coli</i>	FWMO1-DRW1	lyophilised sample		01/05/2024	109
DW083m02	Drinking Water	Colony Counts (22°C/3 days) and Colony Counts (37°C/2 day)	FWMO2-DRW1	lyophilised sample		01/05/2024	109
DW083m03	Drinking Water	Enterococci, <i>Pseudomonas aeruginosa</i> , <i>Clostridium perfringens</i>	FWM12-DRW1	lyophilised sample		01/05/2024	109
DW084m01	Drinking Water	Total coliforms and <i>Escherichia coli</i>	FWMO1-DRW1	lyophilised sample		29/05/2024	109
DW084m02	Drinking Water	Colony Counts (22°C/3 days) and Colony Counts (37°C/2 day)	FWMO2-DRW1	lyophilised sample		29/05/2024	109
DW084m03	Drinking Water	Enterococci, <i>Pseudomonas aeruginosa</i> , <i>Clostridium perfringens</i>	FWM12-DRW1	lyophilised sample		29/05/2024	109
DW085m01	Drinking Water	Total coliforms and <i>Escherichia coli</i>	FWMO1-DRW1	lyophilised sample		26/06/2024	109
DW085m02	Drinking Water	Colony Counts (22°C/3 days) and Colony Counts (37°C/2 day)	FWMO2-DRW1	lyophilised sample		26/06/2024	109
DW085m03	Drinking Water	Enterococci, <i>Pseudomonas aeruginosa</i> , <i>Clostridium perfringens</i> , <i>Clostridium</i> spp., Sulphite Reducing Clostridia	FWMO3-DRW1	lyophilised sample		26/06/2024	109
DW086m01	Drinking Water	Total coliforms and <i>Escherichia coli</i>	FWMO1-DRW1	lyophilised sample		14/08/2024	109
DW086m02	Drinking Water	Colony Counts (22°C/3 days) and Colony Counts (37°C/2 day)	FWMO2-DRW1	lyophilised sample		14/08/2024	109
DW086m03	Drinking Water	Enterococci, <i>Pseudomonas aeruginosa</i> , <i>Clostridium perfringens</i>	FWM12-DRW1	lyophilised sample		14/08/2024	109
DW087m01	Drinking Water	Total coliforms and <i>Escherichia coli</i>	FWMO1-DRW1	lyophilised sample		11/09/2024	109
DW087m02	Drinking Water	Colony Counts (22°C/3 days) and Colony Counts (37°C/2 day)	FWMO2-DRW1	lyophilised sample		11/09/2024	109
DW087m03	Drinking Water	Enterococci, <i>Pseudomonas aeruginosa</i> , <i>Clostridium perfringens</i>	FWM12-DRW1	lyophilised sample		11/09/2024	109

All the above analytes are enumeration tests.

Item Code	Matrix	Analytes	Product Code	Approx. Size	*	Start Date	Fee (GBP)
DW088m01	Drinking Water	Total coliforms and <i>Escherichia coli</i>	FWMO1-DRW1	lyophilised sample		16/10/2024	109
DW088m02	Drinking Water	Colony Counts (22°C/3 days) and Colony Counts (37°C/2 day)	FWMO2-DRW1	lyophilised sample		16/10/2024	109
DW088m03	Drinking Water	Enterococci, <i>Pseudomonas aeruginosa</i> , <i>Clostridium perfringens</i> , <i>Clostridium</i> spp., Sulphite Reducing Clostridia	FWMO3-DRW1	lyophilised sample		16/10/2024	109
DW089m01	Drinking Water	Total coliforms and <i>Escherichia coli</i>	FWMO1-DRW1	lyophilised sample		13/11/2024	109
DW089m02	Drinking Water	Colony Counts (22°C/3 days) and Colony Counts (37°C/2 day)	FWMO2-DRW1	lyophilised sample		13/11/2024	109
DW089m03	Drinking Water	Enterococci, <i>Pseudomonas aeruginosa</i> , <i>Clostridium perfringens</i>	FWM12-DRW1	lyophilised sample		13/11/2024	109
DW090m01	Drinking Water	Total coliforms and <i>Escherichia coli</i>	FWMO1-DRW1	lyophilised sample		12/02/2025	109
DW090m02	Drinking Water	Colony Counts (22°C/3 days) and Colony Counts (37°C/2 day)	FWMO2-DRW1	lyophilised sample		12/02/2025	109
DW090m03	Drinking Water	Enterococci, <i>Pseudomonas aeruginosa</i> , <i>Clostridium perfringens</i>	FWM12-DRW1	lyophilised sample		12/02/2025	109
DW091m01	Drinking Water	Total coliforms and <i>Escherichia coli</i>	FWMO1-DRW1	lyophilised sample		12/03/2025	109
DW091m02	Drinking Water	Colony Counts (22°C/3 days) and Colony Counts (37°C/2 day)	FWMO2-DRW1	lyophilised sample		12/03/2025	109
DW091m03	Drinking Water	Enterococci, <i>Pseudomonas aeruginosa</i> , <i>Clostridium perfringens</i> , <i>Clostridium</i> spp., Sulphite Reducing Clostridia	FWMO3-DRW1	lyophilised sample		12/03/2025	109

All the above analytes are enumeration tests.

Swimming Pool and Spa Water

Item Code	Matrix	Analytes	Product Code	Approx. Size	*	Start Date	Fee (GBP)
SPM0113	Swimming Pool and Spa Water	Total coliforms and <i>Escherichia coli</i>	FWMO1-RWS1	lyophilised sample		07/02/2024	106
SPM0213	Swimming Pool and Spa Water	Total Viable Count (TVC)	FWM08-RWS1	lyophilised sample		07/02/2024	106

All the above analytes are enumeration tests.

Item Code	Matrix	Analytes	Product Code	Approx. Size	*	Start Date	Fee (GBP)
SPM0313	Swimming Pool and Spa Water	<i>Pseudomonas aeruginosa</i> , Coagulase Positive Staphylococci, Total Staphylococci	FWM09-RWS1	lyophilised sample		07/02/2024	106
SP014m01	Swimming Pool and Spa Water	Total coliforms and <i>Escherichia coli</i>	FWM01-RWS1	lyophilised sample		31/07/2024	109
SP014m02	Swimming Pool and Spa Water	Total Viable Count (TVC)	FWM08-RWS1	lyophilised sample		31/07/2024	109
SP014m03	Swimming Pool and Spa Water	<i>Pseudomonas aeruginosa</i> , Coagulase Positive Staphylococci, Total Staphylococci	FWM09-RWS1	lyophilised sample		31/07/2024	109
SP015m01	Swimming Pool and Spa Water	Total coliforms and <i>Escherichia coli</i>	FWM01-RWS1	lyophilised sample		19/02/2025	109
SP015m02	Swimming Pool and Spa Water	Total Viable Count (TVC)	FWM08-RWS1	lyophilised sample		19/02/2025	109
SP015m03	Swimming Pool and Spa Water	<i>Pseudomonas aeruginosa</i> , Coagulase Positive Staphylococci, Total Staphylococci	FWM09-RWS1	lyophilised sample		19/02/2025	109

All the above analytes are enumeration tests.

PARASITOLOGY

Drinking water

Item Code	Matrix	Analytes	Product Code	Approx. Size	*	Start Date	Fee (GBP)
DWP0148	Drinking Water	<i>Cryptosporidium</i> oocysts and/or <i>Giardia</i> cysts Count ONLY	FWPA1-DRW1	1 ml		14/03/2024	149
DWP0247	Drinking Water	<i>Cryptosporidium</i> oocysts and/or <i>Giardia</i> cysts Recovery	FWPA2-DRW1	1 ml		15/02/2024	149
DWP0248	Drinking Water	<i>Cryptosporidium</i> oocysts and/or <i>Giardia</i> cysts Recovery	FWPA2-DRW1	1 ml		14/03/2024	149
DW049p02	Drinking Water	<i>Cryptosporidium</i> oocysts and/or <i>Giardia</i> cysts Recovery	FWPA2-DRW1	1 ml		07/05/2024	153
DW050p01	Drinking Water	<i>Cryptosporidium</i> oocysts and/or <i>Giardia</i> cysts Count ONLY	FWPA1-DRW1	1 ml		26/06/2024	153

Item Code	Matrix	Analytes	Product Code	Approx. Size	✱	Start Date	Fee (GBP)
DW050p02	Drinking Water	<i>Cryptosporidium</i> oocysts and/or <i>Giardia</i> cysts Recovery	FWPA2-DRW1	1 ml		26/06/2024	153
DW051p02	Drinking Water	<i>Cryptosporidium</i> oocysts and/or <i>Giardia</i> cysts Recovery	FWPA2-DRW1	1 ml		20/08/2024	153
DW052p01	Drinking Water	<i>Cryptosporidium</i> oocysts and/or <i>Giardia</i> cysts Count ONLY	FWPA1-DRW1	1 ml		16/10/2024	153
DW052p02	Drinking Water	<i>Cryptosporidium</i> oocysts and/or <i>Giardia</i> cysts Recovery	FWPA2-DRW1	1 ml		16/10/2024	153
DW053p02	Drinking Water	<i>Cryptosporidium</i> oocysts and/or <i>Giardia</i> cysts Recovery	FWPA2-DRW1	1 ml		28/01/2025	153
DW054p01	Drinking Water	<i>Cryptosporidium</i> oocysts and/or <i>Giardia</i> cysts Count ONLY	FWPA1-DRW1	1 ml		25/03/2025	153
DW054p02	Drinking Water	<i>Cryptosporidium</i> oocysts and/or <i>Giardia</i> cysts Recovery	FWPA2-DRW1	1 ml		25/03/2025	153

UNKNOWN ORGANISMS

Drinking Water

Item Code	Matrix	Analytes	Product Code	Approx. Size	✱	Start Date	Fee (GBP)
DWM0481	Drinking Water	Organism Identification	FWMO4-DRW1	lyophilised sample		13/03/2024	106
DW082m04	Drinking Water	Organism Identification	FWMO4-DRW1	lyophilised sample		03/04/2024	109
DW088m04	Drinking Water	Organism Identification	FWMO4-DRW1	lyophilised sample		16/10/2024	109

PATHOGENS

Bathing Water

Item Code	Matrix	Analytes	Product Code	Approx. Size	✱	Start Date	Fee (GBP)
BW014m02	Bathing Water	<i>Salmonella</i> spp. (Detection)	FMOD7-RWB1	2x lyophilised sample		08/05/2024	109
BW014m03	Bathing Water	<i>Campylobacter</i> spp. (Detection)	FMOD17-RWB1	2x lyophilised sample		08/05/2024	109
BW015m02	Bathing Water	<i>Salmonella</i> spp. (Detection)	FMOD7-RWB1	2x lyophilised sample		06/11/2024	109

Item Code	Matrix	Analytes	Product Code	Approx. Size	*	Start Date	Fee (GBP)
BW015m03	Bathing Water	<i>Campylobacter</i> spp. (Detection)	FMOD17-RWB1	2x lyophilised sample		06/11/2024	109
BW015m04	Bathing Water	<i>Escherichia coli</i> O157:H7 (Detection)	FMOD11-RWB1	2x lyophilised sample		06/11/2024	109

SEQUENCING

Bacterial DNA

Item Code	Matrix	Analytes	Product Code	Approx. Size	*	Start Date	Fee (GBP)
SEQ0102	Bacterial DNA ▲	MLST Type	FSOD01-UMI46	1 tube		04/03/2024	256
SEQ0103	Bacterial DNA ▲	MLST Type	FSOD01-UMI46	1 tube		03/03/2025	264

Swimming Pool and Spa Water

Item Code	Matrix	Analytes	Product Code	Approx. Size	*	Start Date	Fee (GBP)
SP014m04	Swimming Pool and Spa Water	<i>Escherichia coli</i> O157:H7 (Detection)	FMOD11-RWS1	lyophilised sample		31/07/2024	109

Water (environmental)

Item Code	Matrix	Analytes	Product Code	Approx. Size	*	Start Date	Fee (GBP)
LG0124	Water	<i>Legionella</i> spp.	FWMO5-WAW1	2x lyophilised sample		14/02/2024	153
LG0125	Water	<i>Legionella</i> spp.	FWMO5-WAW1	2x lyophilised sample		01/05/2024	158
LG0126	Water	<i>Legionella</i> spp.	FWMO5-WAW1	2x lyophilised sample		11/09/2024	158

All the above analytes are detection, identification and enumeration tests.

Note: Items marked ▲ have one or more analytes that are not included in our scope of ISO/IEC 17043 accreditation. For further information visit www.fapas.com or email info@fapas.com



Item Code	Matrix	Analytes	Product Code	Approx. Size	✱	Start Date	Fee (GBP)
LG0127	Water	<i>Legionella</i> spp.	FWMO5-WAW1	2x lyophilised sample		13/11/2024	158
LG0128	Water	<i>Legionella</i> spp.	FWMO5-WAW1	2x lyophilised sample		12/03/2025	158

All the above analytes are detection, identification and enumeration tests.



How to Order

To order with Fapas® you will need an account. If you already have an account, simply go to www.fapas.com and login with your username and password by clicking on 'My Account' (top right of the page). If you have forgotten your password, you can reset it in 'My Account'. If you have not ordered yourself, but your company has ordered from Fapas® previously, simply email us at info@fapas.com and we will set up your account for you. If your company has not ordered from us before, click on the 'register' button on the page. For further information please visit www.fapas.com and choose 'How to Order' from the top menu.



Fapas® has a network of agents to help you locally. Please contact your nearest office:

Argentina Phone: +5411-4701-6262 b.barloqui@r-biopharmlat.com.ar	Indonesia Phone: +62 811824811 marketing@rnd.co.id	Qatar Phone: +974 443 66614 bdhsales@bdhme.com
Austria Phone: +49 40 49294 2930 fapas@eurofins.de	Israel Phone: +972572400503 talga@eldan.biz	South Africa Phone: +27 11 691 6500 alet@aecam.co.za
Australia Phone: +61 (0)3 9416 0093 info@biosys.com.au	Italy Phone: + 39 02 89540225 giovanna.lampis@starecotronics.it	Spain Phone: +34 664 284 328 fapas@ambifood.es
Belgium Phone: +33 478643200 s.veyrier@r-biopharm.fr	Japan Phone: +81 3 5627 8150 fapas.info@cscjp.co.jp	Switzerland Phone: +49 40 49294 2930 fapas@eurofins.de
Brazil Phone: +55 11 3991 9033 claudette@labresearch.com.br	Korea Phone: +82 2529 2282 kisan@kisanbio.com	Taiwan Phone: +886228484509 biotic@ms64.hinet.net
China (Shanghai) Phone: + 86 13311603693 jan_shen2001@aliyun.com	Malaysia Phone: +603-5122 5108 fapas@tms-lab.com	Thailand Phone: +6628817404 sales@scientificsupply.co.th
China (Beijing) Phone: +86-10-88026887 leifh@clovertek.com	Mexico Phone: 52 (55) 26 19 95 73 ventas@dicmalab.com.mx	Turkey Phone: + 90 232 464 8006 edip@sincer.com.tr
Egypt Phone: +202 0114 15 215 26 fapas@integratedtc-eg.com	Oman Phone: +968 247 87647 bdhsales@bdhme.com	United Arab Emirates Phone: +971-4-2852211 bdhsales@bdhme.com
France Phone: +33 478643200 s.veyrier@r-biopharm.fr	Pakistan Phone: +92 42 3733 9116 saq@swissconsulting.co	United States of America Phone: +18507278107 orders@biofronttech.com
Germany Phone: +49 40 49294 2930 fapas@eurofins.de	Philippines Phone: +6324410430 r.alaba@fil-anaserve.com	Vietnam Phone: +84 8 3726 0440 fapas@nghiphu.com
Greece Phone: +30-210-2934745 info@qacs.gr	Poland Phone: +48 61 868 6272 badania@nuscana.pl	
India Phone: +91 9811056235 info@horizonintl.in	Portugal Phone: +351 22 996 20 69 artur.melo@ambifood.com	



PROFICIENCY TESTING

Fera Science Limited
York Biotech Campus
Sand Hutton, York, YO41 1LZ
United Kingdom
T: +44 (0)1904 462100
E: info@fapas.com
www.fera.co.uk
www.fapas.com



/fapas_pt (Former Twitter)



company/fapas-proficiency-testing

Fera Science Ltd is a company registered in England and Wales with Company Number 9413107. VAT Registered number GB618184140. Products and services availability may change at any time without prior notice given and all content are for illustration purposes only.

Revision Date: 28 April 2021 | Revision No: 01



Original thinking... applied